

ECLIPSE MODELING PROJECT

A Domain-Specific Language Toolkit

Richard C. Gronback

/•Addison-Wesley

*Upper Saddle River, NJ • Boston • Indianapolis • San Francisco
New York • Toronto • Montreal • London • Munich • Pdn's • Madrid
Cape Town • Sydney • Tokyo • Singapore • Mexico City*

Contents

Foreword	xix
Preface	xxi
Acknowledgments	xxiii
About the Author	i xxv
Port / O Introduction	/
<i>Chapter 1 Introduction</i>	3
1.1 About Modeling	3
1.2 Domain-Specific Languages	5
1.2.1 Why Develop a DSL?	6
1.3 Model-Driven Software Development	7
1.4 Software Product Lines and Factories	7
1.5 The Eclipse Modeling Project	'8
1.5.1 Abstract Syntax Development	10
1.5.2 Concrete Syntax Development	12
1.5.3 Model Transformation	12
1.5.4 Model Development Tools (MDT)	13
1.5.5 Generative Modeling Technologies	15
1.5.6 Amalgamation	15
1.5.7 Project Interaction	15
1.6 Summary	16
<i>Chapter 2 Modeling Project as a DSL Toolkit</i>	17
2.1 Installation	20
2.2 The Sample Projects	20
2.3 Summary	26

Part II O Developing Domain-Specific Languages	27
Chapter 3 Developing a DSL Abstract Syntax	29
3.1 DSL Considerations	29
3.2 Eclipse Modeling Framework	31
3.2.1 <i>Ecore Metamodel</i>	32
3.2.2 <i>Runtime Features</i>	33
3.2.3 <i>Code Generation</i>	34
3.2.4 <i>Applying OCL</i>	35
3.2.5 <i>Dynamic Instances</i>	38
3.3 Developing the Mindmap Domain Model	39
3.3.1 <i>Project Setup</i>	40
3.3.2 <i>Creating the Mindmap Domain Model</i>	41
3.3.3 <i>Creating the Mindmap Generator Model</i>	42
3.3.4 <i>Generate and Run</i>	43
3.3.5 <i>Adding OCL</i>	45
3.4 Developing the Requirements Domain Model	47
3.4.1 <i>Requirements Generator Model</i>	48
3.5 Developing the Scenario Domain Model	50
3.6 Developing the Business Domain Model	51
3.7 Summary	54
Chapter 4 Developing a DSL Graphical Notation	55
4.1 Design Considerations	55
4.1.1 <i>Notation Design</i>	56
4.1.2 <i>Filters and Layers</i>	57
4.1.3 <i>Layout</i>	58
4.1.4 <i>Synchronization</i>	59
4.1.5 <i>Shortcuts</i>	59
4.2 Graphical Modeling Framework	59
4.2.1 <i>GMF Runtime Component</i>	60
4.2.2 <i>GMF Tooling Component</i>	61
4.2.3 <i>Customization Options</i>	65

4.2.4	<i>Dashboard</i>	66
4.2.5	<i>Sample Application Diagrams</i>	67
4.3	Developing the Mindmap Diagram	67
4.3.1	<i>Mindmap Graphical Definition</i>	68
4.3.2	<i>Mindmap Tooling Definition</i>	69
4.3.3	<i>Mindmap Mapping Model</i>	70
4.3.4	<i>Mindmap Generator Model</i>	74
4.3.5	<i>Improving the Mindmap Diagram</i>	76
4.4	Developing a Requirements Diagram	104
4.4.1	<i>Diagram Definition</i>	104
4.4.2	<i>Tooling Definition</i>	107
4.4.3	<i>Mapping Definition</i>	107
4.4.4	<i>Generation</i>	113
4.4.5	<i>ToolTips</i>	114
4.4.6	<i>Integrating EMF and GMF Editors</i>	122
4.5	Developing the Scenario Diagram	145
4.5.1	<i>Graphical Definition</i>	145
4.5.2	<i>Tooling Definition</i>	159
4.5.3	<i>Mapping Definition</i> ••	161
4.5.4	<i>Generation</i>	166
4.5.5	<i>Generating the Figures Plug-In</i>	168
4.5.6	<i>Diagram Partitioning</i>	171
4.5.7	<i>Database Persistence</i>	177
4.6	Developing the Color Modeling Diagram	181
4.6.1	<i>Diagram Definition</i>	182
4.6.2	<i>Tooling Definition</i>	189
4.6.3	<i>Mapping Definition</i>	190
4.6.4	<i>Generation</i>	201
4.6.5	<i>Gradient Figures</i>	201
4.6.6	<i>Color Preferences</i>	205
4.6.7	<i>Custom Parsers</i>	220
4.7	Summary	225

<i>Chapter 5</i>	<i>Developing a DSL Textual Syntax</i>	227
	5.1 Xtext	228
	5.2 TCS	229
	5.3 Summary	229
<i>Chapter 6</i>	<i>Developing Model-to-Model Transformations</i>	231
	6.1 Transformation Techniques	231
	6.2 Model Refactoring	232
	6.3 Model Migration	233
	6.4 Model Merge	237-
	6.5 M2M QVT Operational Mapping Language	238
	6.5.1 QVT Project	238
	6.5.2 QVT OML Editor	240
	6.5.3 Metamodel Explorer	240
	6.5.4 Launch Configuration	240
	6.5.5 Trace Model	242
	6.5.6 Leveraging OCL in EMF Models	243
	6.5.7 Ant Tasks	243
	6.6 Transforming a Mindmap to Requirements	244
	6.7 Transforming a Mindmap to XHTML	251
	6.7.1 Importing an XSD	252
	6.7.2 Creating the mindmap2xhtml QVT	253
	6.8 Transforming a Scenario to a Test Case	258
	6.9 Transforming a Business Model to Java	264
	6.10 Summary	276
<i>Chapter 7</i>	<i>Developing Model-to-Text Transformations</i>	277
	7.1 M2T Project	277
	7.1.1 Xpand, Xtend, and Workflow Components	278
	7.2 Generating CSV Files	281
	7.3 Generating Java	282
	7.3.1 Using Java Model and Dedicated Template	283

7.3.2' <i>Using the DNC Model with Templates</i>	291
7.4 <i>Generating HTML</i>	297
7.5 <i>Summary</i>	302
Chapter 8 <i>DSL Packaging and Deployment</i>	303
8.1 <i>Deployment Preparation</i>	303
8.1.1 <i>Artwork</i>	304
8.1.2 <i>Developing a User Interface Plug-In</i>	305
8.1.3 <i>Generation Models</i>	310
8.2 <i>Defining a Product</i>	312
8.2.1 <i>Deploying Source</i>	312
8.3 <i>Summary</i>	313
Part III <i>O Reference</i>	315
Chapter 9 <i>Graphical Editing Framework</i>	317
9.1 <i>Draw2d</i>	318
9.1.1 <i>Figures</i>	318
9.1.2 <i>Text</i>	319
9.1.3 <i>Painting</i>	320
9.1.4 <i>Layout</i>	322
9.1.5 <i>Connections and Routing</i>	322
9.1.6 <i>Coordinate Systems</i>	323
9.1 GEF	- 324
9.2.1 <i>EditParts</i>	325
9.2.2 <i>Creating the Graphical View</i>	326
9.2.3 <i>Editing</i>	331
9.2.4 <i>The EditPart Life Cycle</i>	334
9.2.5 <i>Tools and the Palette</i>	337
9.2.6 <i>Interactions</i>	338
9.3 <i>Summary</i>	352

Chapter 10	Graphical Modeling Framework Runtime	353
10.1	Overview	353
10.1.1	<i>General Diagram Features</i>	354
10.2	Notation Model	369
10.3	Extensibility Mechanisms	372
10.3.1	<i>Extension-Points</i>	373
10.4	Services	375
10.4.1	<i>ViewService</i>	378
10.4.2	<i>EditPartService</i>	382
10.4.3	<i>EditPolicyService</i>	385
10.4.4	<i>Palette Service</i>	387
10.4.5	<i>Decoration Service</i>	392
10.4.6	<i>IconService</i>	396
10.4.7	<i>MarkerNavigationService</i>	399
10.4.8	<i>ParserService</i>	401
10.4.9	<i>ModelingAssistantService</i>	403
10.4.10	<i>LayoutService</i>	406
10.4.11	<i>ContributionItemService</i>	408
10.4.12	<i>GlobalActionHandlerService</i>	419
10.4.13	<i>ActionFilterService</i>	423
10.4.14	<i>EditorService</i>	427
10.4.15	<i>ElementSelectionService</i>	428
10.4.16	<i>PropertiesService</i>	430
10.4.17	<i>PropertiesModifierService</i>	433
10.4.18	<i>DragDropListenerService</i>	435
10.4.19	<i>TransferAdapterService</i>	438
10.4.20	<i>DiagramEvenBroker Service</i>	441
10.5	Additional Extension-Points	443
10.5.1	<i>ElementTypes</i>	443
10.5.2	<i>ElementTypeBindings</i>	449
10.5.3	<i>LogListeners</i>	452
10.5.4	<i>PropertiesConfigurations</i>	453

10.5.5	<i>Document Providers</i>	453
10.5.6	<i>RenderedImageFactory</i>	456
10.5.7	<i>ClipboardSupport</i>	457
10.5.8	<i>Pathmaps</i>	458
10.6	Element Creation	459
10.7	Command Infrastructure	462
10.7.1	<i>Command Infrastructure</i>	463
10.7.2	<i>Model Element Command Infrastructure</i>	463
10.8	Developing a Diagram	466
10.8.1	<i>Essential Diagram Elements</i>	466
10.8.2	<i>Configuring the Properties View</i>	476
10.8.3	<i>Connections</i> •	479
10.8.4	<i>Comparison to Generated Diagram</i>	485
10.9	Extending Diagrams	486
10.9.1	<i>Scenario Diagram Custom View and Edit Providers</i>	486
10.9.2	<i>Custom Style</i>	490
10.9.3	<i>Custom EditPolicy</i>	493
10.9.4	<i>Custom Decorator</i>	497
10.10	Beyond GEF and Draw2d	500
10.11	Summary	502
Chapter 11	Graphical Modeling Framework Tooling	503
11.1	Graphical Definition Model	503
11.1.1	<i>The Canvas</i> •	506
11.1.2	<i>The Figure Gallery</i>	506
11.1.3	<i>Diagram Elements</i>	516
11.2	Tooling Definition Model	518
11.3	Mapping Model	519
11.3.1	<i>Canvas Mapping</i>	520
11.3.2	<i>Top Node Reference</i>	521
11.3.3	<i>Node Mapping</i>	522
11.3.4	<i>Feature Initialization</i>	527

11.3.5	<i>Implementing Side-Affixed Nodes (Pins and Ports)</i>	528
11.3.6	<i>Link Mapping</i>	529
11.3.7	<i>Audits and Metrics</i>	532
11.4	<i>Generator Model</i>	533
11.4.1	<i>Gen Editor Generator</i>	534
11.4.2	<i>Gen Diagram</i>	536
11.4.3	<i>Gen Link</i>	539
11.4.4	<i>Custom Behavior</i>	539
11.4.5	<i>Open Diagram Behavior</i>	539
11.4.6	<i>Gen Plugin</i>	540
11.4.7	<i>Gen Editor. View</i>	540
11.4.8	<i>Gen Navigator</i>	541
11.4.9	<i>Gen Diagram Updater</i>	542
11.4.10	<i>Property Sheet</i>	542
11.4.11	<i>Gen Application</i>	543
11.5	<i>Summary</i>	543
<i>Chapter 12 Graphical Modeling Framework FAQs</i>		545
12.1	<i>General FAQs</i>	545
12.2	<i>Diagramming FAQs</i>	546
12.3	<i>Tooling FAQs</i>	547
12.4	<i>Summary</i>	548
<i>Chapter 13 Query/View/Transformation Operational Mapping Language</i>		549
13.1	<i>Transformation Declaration</i>	550
13.1.1	<i>In-Place Transformations</i>	553
13.1.2	<i>Extends and Access</i>	553
13.1.3	<i>Intermediate Elements</i>	554
13.1.4	<i>Configuration Properties</i>	555
13.1.5	<i>Renaming Elements</i>	555
13.1.6	<i>Predefined Variables</i>	555
13.1.7	<i>Null</i>	556

13.2 Libraries	556
13.3 Mapping Operations	556
13.3.1 <i>Mapping Body</i>	558
13.3.2 <i>Entry Operation</i>	559
13.3.3 <i>Inheritance, Merger, and Disjunction</i>	560
13.4 Helper Operations	562
13.5 Implementing Operations	563
13.5.1 <i>Operations and Iterators</i>	563
13.5.2 <i>Imperative Operations</i>	565
13.5.3 <i>Imperative Iterate Expressions</i>	566
13.5.4 <i>Object Creation and Population</i>	568
13.5.5 <i>Mapping Invocation</i>	570
13.5.6 <i>Resolution Operators</i>	571
13.5.7 <i>Executing Transformations</i>	575
13.6 Library Operations	577
13.6.1 <i>Object Operations</i>	577
13.6.2 <i>Element Operations</i>	578
13.6.3 <i>Model Operations</i>	580
13.6.4 <i>List Operations</i>	582
13.6.5 <i>Numeric Type Operations</i>	583
13.6.6 <i>String Operations</i>	583
13.7 Syntax Notes	593
13.7.1 <i>Comments</i>	593
13.7.2 <i>Strings</i>	594
13.7.3 <i>Shorthand</i>	594
13.7.4 <i>OCL Synonyms</i>	596
13.8 Simple UML to RDBMS Example	596
13.9 Summary	604
Chapter 14 <i>Xpand Template Language</i>	605
14.1 Xpand Language	606
14.1.1 <i>IMPORT</i>	606
14.1.2 <i>DEFINE</i>	607

14.1.3	<i>EXPAND</i>	608
14.1.4	<i>FILE</i>	612
14.1.5	<i>FOREACH</i>	612
14.1.6	<i>EXTENSION</i>	613
14.1.7	<i>IF</i>	614
14.1.8	<i>PROTECT</i>	615
14.1.9	<i>LET</i>	615
14.1.10	<i>ERROR</i>	616
14.1.11	<i>REM</i>	616
14.1.12	<i>AROUND</i>	617
14.1.13	<i>Type System</i>	619
14.1.14	<i>Expression Language</i>	628
14.1.15	<i>Xtend Language</i>	63 6
14.1.16	<i>Workflow Engine</i>	641
14.2	<i>Summary</i>	649

Part IV O Appendixes

651

Appendix A	<i>Graphical Modeling Framework Key Bindings</i>	653
Appendix 8	<i>Model-Driven Architecture at Eclipse</i>	661
	<i>Implemented Standards</i>	662
	<i>Meta-Object Facility (MOF)</i>	662
	<i>Unified Modeling Language (UML)</i>	663
	<i>Object Constraint Language (OCL)</i>	663
	<i>Diagram Interchange (DI)</i>	664
	<i>XML Metadata Interchange (XMI)</i>	664
	<i>MOF Query/View/Transformation (QVT)</i>	664
	<i>MOF Models to Text Transformation Language</i>	664
	<i>Human-Usable Textual Notation (HUTN)</i>	665
	<i>Business Process Modeling Notation (BPMN)</i>	665
	<i>Software Process Engineering Metamodel (SPEM)</i>	666

Working Relationship	666
<i>Membership</i>	666
<i>Specification Delivery</i>	667
<i>Specification Compliance</i>	668
<i>Implementations Influencing Specifications</i>	668
<i>Open and Transparent Nature</i>	668
Future Outlook	669
<i>References</i>	671
<i>Index</i>	675