

Pulse Width Modulation For Power Converters

Principles and Practice

D. Grahame Holmes

Monash University
Melbourne, Australia

Thomas A. Lipo

University of Wisconsin
Madison, Wisconsin



IEEE Series on Power Engineering,
Mohamed E. El-Hawary, *Series Editor*



IEEE PRESS



A JOHN WILEY & SONS, INC., PUBLICATION

Contents

Preface	xiii
Acknowledgments	xiv
Nomenclature	xv
Chapter 1 Introduction to Power Electronic Converters	1
1.1 Basic Converter Topologies	2
1.1.1 Switch Constraints	2
1.1.2 Bidirectional Chopper	4
1.1.3 Single-Phase Full-Bridge (H-Bridge) Inverter	5
1.2 Voltage Source/Stiff Inverters	7
1.2.1 Two-Phase Inverter Structure	7
1.2.2 Three-Phase Inverter Structure	8
1.2.3 Voltage and Current Waveforms in Square-Wave Mode ..	9
1.3 Switching Function Representation of Three-Phase Converters	14
1.4 Output Voltage Control	17
1.4.1 Volts/Hertz Criterion	17
1.4.2 Phase Shift Modulation for Single-Phase Inverter	17
1.4.3 Voltage Control with a Double Bridge	19
1.5 Current Source/Stiff Inverters	21
1.6 Concept of a Space Vector	24
1.6.1 $d-q-0$ Components for Three-Phase Sine Wave Source/ Load	27
1.6.2 $d-q-0$ Components for Voltage Source Inverter Operated in Square-Wave Mode	30
1.6.3 Synchronously Rotating Reference Frame	35
1.7 Three-Level Inverters	38
1.8 Multilevel Inverter Topologies	42
1.8.1 Diode-Clamped Multilevel Inverter	42
1.8.2 Capacitor-Clamped Multilevel Inverter	49
1.8.3 Cascaded Voltage Source Multilevel Inverter	51

1.8.4	Hybrid Voltage Source Inverter	54
1.9	Summary	55
Chapter 2	Harmonic Distortion	57
2.1	Harmonic Voltage Distortion Factor	57
2.2	Harmonic Current Distortion Factor	61
2.3	Harmonic Distortion Factors for Three-Phase Inverters	64
2.4	Choice of Performance Indicator	67
2.5	WTHD of Three-Level Inverter	70
2.6	The Induction Motor Load	73
2.6.1	Rectangular Squirrel Cage Bars	73
2.6.2	Nonrectangular Rotor Bars	78
2.6.3	Per-Phase Equivalent Circuit	79
2.7	Harmonic Distortion Weighting Factors for Induction Motor Load	82
2.7.1	WTHD for Frequency-Dependent Rotor Resistance	82
2.7.2	WTHD Also Including Effect of Frequency-Dependent Rotor Leakage Inductance	84
2.7.3	WTHD for Stator Copper Losses	88
2.8	Example Calculation of Harmonic Losses	90
2.9	WTHD Normalization for PWM Inverter Supply	91
2.10	Summary	93
Chapter 3	Modulation of One Inverter Phase Leg	95
3.1	Fundamental Concepts of PWM	96
3.2	Evaluation of PWM Schemes	97
3.3	Double Fourier Integral Analysis of a Two-Level Pulse Width- Modulated Waveform	99
3.4	Naturally Sampled Pulse Width Modulation	105
3.4.1	Sine-Sawtooth Modulation	105
3.4.2	Sine-Triangle Modulation	114
3.5	PWM Analysis by Duty Cycle Variation	120
3.5.1	Sine-Sawtooth Modulation	120
3.5.2	Sine-Triangle Modulation	123

3.6	Regular Sampled Pulse Width Modulation.....	125
3.6.1	Sawtooth Carrier Regular Sampled PWM.....	130
3.6.2	Symmetrical Regular Sampled PWM.....	134
3.6.3	Asymmetrical Regular Sampled PWM.....	139
3.7	“Direct” Modulation	146
3.8	Integer versus Non-Integer Frequency Ratios	148
3.9	Review of PWM Variations	150
3.10	Summary.....	152
Chapter 4	Modulation of Single-Phase Voltage Source Inverters.....	155
4.1	Topology of a Single-Phase Inverter.....	156
4.2	Three-Level Modulation of a Single-Phase Inverter	157
4.3	Analytic Calculation of Harmonic Losses	169
4.4	Sideband Modulation.....	177
4.5	Switched Pulse Position.....	183
4.5.1	Continuous Modulation	184
4.5.2	Discontinuous Modulation.....	186
4.6	Switched Pulse Sequence.....	200
4.6.1	Discontinuous PWM — Single-Phase Leg Switched...200	
4.6.2	Two-Level Single-Phase PWM.....	207
4.7	Summary.....	211
Chapter 5	Modulation of Three-Phase Voltage Source Inverters.....	215
5.1	Topology of a Three-Phase Inverter (VSI)	215
5.2	Three-Phase Modulation with Sinusoidal References	216
5.3	Third-Harmonic Reference Injection.....	226
5.3.1	Optimum Injection Level.....	226
5.3.2	Analytical Solution for Third-Harmonic Injection	230
5.4	Analytic Calculation of Harmonic Losses	241
5.5	Discontinuous Modulation Strategies	250
5.6	Triplen Carrier Ratios and Subharmonics.....	251
5.6.1	Triplen Carrier Ratios	251
5.6.2	Subharmonics.....	253

5.7	Summary	257
Chapter 6	Zero Space Vector Placement Modulation Strategies	259
6.1	Space Vector Modulation	259
6.1.1	Principles of Space Vector Modulation	259
6.1.2	SVM Compared to Regular Sampled PWM	265
6.2	Phase Leg References for Space Vector Modulation	267
6.3	Naturally Sampled SVM	270
6.4	Analytical Solution for SVM	272
6.5	Harmonic Losses for SVM	291
6.6	Placement of the Zero Space Vector	294
6.7	Discontinuous Modulation	299
6.7.1	120° Discontinuous Modulation	299
6.7.2	60° and 30° Discontinuous Modulation	302
6.8	Phase Leg References for Discontinuous PWM	307
6.9	Analytical Solutions for Discontinuous PWM	311
6.10	Comparison of Harmonic Performance	322
6.11	Harmonic Losses for Discontinuous PWM	326
6.12	Single-Edge SVM	330
6.13	Switched Pulse Sequence	331
6.14	Summary	333
Chapter 7	Modulation of Current Source Inverters	337
7.1	Three-Phase Modulators as State Machines	338
7.2	Naturally Sampled CSI Space Vector Modulator	343
7.3	Experimental Confirmation	343
7.4	Summary	345
Chapter 8	Overmodulation of an Inverter	349
8.1	The Overmodulation Region	350
8.2	Naturally Sampled Overmodulation of One Phase Leg of an Inverter	351

8.3	Regular Sampled Overmodulation of One Phase Leg of an Inverter	356
8.4	Naturally Sampled Overmodulation of Single- and Three-Phase Inverters	360
8.5	PWM Controller Gain during Overmodulation	364
8.5.1	Gain with Sinusoidal Reference	364
8.5.2	Gain with Space Vector Reference	367
8.5.3	Gain with 60° Discontinuous Reference	371
8.5.4	Compensated Modulation	373
8.6	Space Vector Approach to Overmodulation	376
8.7	Summary	382
Chapter 9	Programmed Modulation Strategies	383
9.1	Optimized Space Vector Modulation	384
9.2	Harmonic Elimination PWM	396
9.3	Performance Index for Optimality	411
9.4	Optimum PWM	416
9.5	Minimum-Loss PWM	421
9.6	Summary	430
Chapter 10	Programmed Modulation of Multilevel Converters	433
10.1	Multilevel Converter Alternatives	433
10.2	Block Switching Approaches to Voltage Control	436
10.3	Harmonic Elimination Applied to Multilevel Inverters	440
10.3.1	Switching Angles for Harmonic Elimination Assuming Equal Voltage Levels	440
10.3.2	Equalization of Voltage and Current Stresses	441
10.3.3	Switching Angles for Harmonic Elimination Assuming Unequal Voltage Levels	443
10.4	Minimum Harmonic Distortion	447
10.5	Summary	449
Chapter 11	Carrier-Based PWM of Multilevel Inverters	453
11.1	PWM of Cascaded Single-Phase H-Bridges	453

11.2	Overmodulation of Cascaded H-Bridges.....	465
11.3	PWM Alternatives for Diode-Clamped Multilevel Inverters ...	467
11.4	Three-Level Naturally Sampled PD PWM.....	469
11.4.1	Contour Plot for Three-Level PD PWM.....	469
11.4.2	Double Fourier Series Harmonic Coefficients.....	473
11.4.3	Evaluation of the Harmonic Coefficients	475
11.4.4	Spectral Performance of Three-Level PD PWM	479
11.5	Three-Level Naturally Sampled APOD or POD PWM.....	481
11.6	Overmodulation of Three-Level Inverters.....	484
11.7	Five-Level PWM for Diode-Clamped Inverters.....	489
11.7.1	Five-level Naturally Sampled PD PWM	489
11.7.2	Five-Level Naturally Sampled APOD PWM	492
11.7.3	Five-Level POD PWM	497
11.8	PWM of Higher Level Inverters	499
11.9	Equivalent PD PWM for Cascaded Inverters	504
11.10	Hybrid Multilevel Inverter.....	507
11.11	Equivalent PD PWM for a Hybrid Inverter	517
11.12	Third-Harmonic Injection for Multilevel Inverters	519
11.13	Operation of a Multilevel Inverter with a Variable Modulation Index	526
11.14	Summary.....	528
Chapter 12	Space Vector PWM for Multilevel Converters	531
12.1	Optimized Space Vector Sequences.....	531
12.2	Modulator for Selecting Switching States	534
12.3	Decomposition Method.....	535
12.4	Hexagonal Coordinate System.....	538
12.5	Optimal Space Vector Position within a Switching Period.....	543
12.6	Comparison of Space Vector PWM to Carrier-Based PWM....	545
12.7	Discontinuous Modulation in Multilevel Inverters.....	548
12.8	Summary.....	550

Chapter 13 Implementation of a Modulation Controller	555
13.1 Overview of a Power Electronic Conversion System.....	556
13.2 Elements of a PWM Converter System.....	557
13.2.1 VSI Power Conversion Stage.....	563
13.2.2 Gate Driver Interface.....	565
13.2.3 Controller Power Supply.....	567
13.2.4 I/O Conditioning Circuitry.....	568
13.2.5 PWM Controller.....	569
13.3 Hardware Implementation of the PWM Process.....	572
13.3.1 Analog versus Digital Implementation.....	572
13.3.2 Digital Timer Logic Structures.....	574
13.4 PWM Software Implementation.....	579
13.4.1 Background Software.....	580
13.4.2 Calculation of the PWM Timing Intervals.....	581
13.5 Summary.....	584
Chapter 14 Continuing Developments in Modulation	585
14.1 Random Pulse Width Modulation.....	586
14.2 PWM Rectifier with Voltage Unbalance.....	590
14.3 Common Mode Elimination.....	598
14.4 Four Phase Leg Inverter Modulation.....	603
14.5 Effect of Minimum Pulse Width.....	607
14.6 PWM Dead-Time Compensation.....	612
14.7 Summary.....	619
Appendix 1 Fourier Series Representation of a Double Variable Controlled Waveform	623
Appendix 2 Jacobi–Anger and Bessel Function Relationships	629
A2.1 Jacobi–Anger Expansions.....	629
A2.2 Bessel Function Integral Relationships.....	631
Appendix 3 Three-Phase and Half-Cycle Symmetry Relationships	635

Appendix 4 Overmodulation of a Single-Phase Leg.....	637
A4.1 Naturally Sampled Double-Edge PWM	637
A4.1.1 Evaluation of Double Fourier Integral for Overmodulated Naturally Sampled PWM.....	638
A4.1.2 Harmonic Solution for Overmodulated Single-Phase Leg under Naturally Sampled PWM.....	646
A4.1.3 Linear Modulation Solution Obtained from Overmodulation Solution.....	647
A4.1.4 Square-Wave Solution Obtained from Overmodulation Solution.....	647
A4.2 Symmetric Regular Sampled Double-Edge PWM	649
A4.2.1 Evaluation of Double Fourier Integral for Overmodulated Symmetric Regular Sampled PWM.....	650
A4.2.2 Harmonic Solution for Overmodulated Single-Phase Leg under Symmetric Regular Sampled PWM.....	652
A4.2.3 Linear Modulation Solution Obtained from Overmodulation Solution.....	653
A4.3 Asymmetric Regular Sampled Double-Edge PWM	654
A4.3.1 Evaluation of Double Fourier Integral for Overmodulated Asymmetric Regular Sampled PWM	655
A4.3.2 Harmonic Solution for Overmodulated Single-Phase Leg under Asymmetric Regular Sampled PWM	660
A4.3.3 Linear Modulation Solution Obtained from Overmodulation Solution.....	661
Appendix 5 Numeric Integration of a Double Fourier Series Representa- tion of a Switched Waveform.....	663
A5.1 Formulation of the Double Fourier Integral	663
A5.2 Analytical Solution of the Inner Integral	666
A5.3 Numeric Integration of the Outer Integral	668
Bibliography	671
Index.....	715
